

CWTF35-3T (2U/1LWarmer)

Height: 18.9" Width: 8.5" Depth: 17.8"
(48.0cm) (21.6cm) (45.2cm)



- Model is space-saving 8.5" (21.6cm) wide
- Hot water faucet (requires active plumbing connection)
- Pourover feature
- SplashGard® funnel deflects hot liquids away from the hand
- Servers not included unless otherwise noted

 Server(s) sold separately

Agency:

Specifications

Product #: 12950.6053

Water Access: Plumbed

Finish: Black

Funnel: Black Plastic

Faucet: Upper

Warmers: Two Upper/ One Lower

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	120	60°F (15.5°C)	-	-	-

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-



CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
04/29/2020



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	18.9 in.	8.5 in.	17.8 in.	-	-	-	-	-
Metric	48.0 cm	21.6 cm	45.2 cm	-	-	-	-	-



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
04/29/2020

Related Products & Accessories: CWTF35-3T (2U/1L Warmer)(12950.6053)



STOVE, WX2 120V/200W

Product #: 06310.6000



STOVE, WX1 120V/100W

Product #: 06450.6000



FILTERS, REG/1M

Product #: 20115.6000

Serving & Holding Options: CWTF35-3T (2U/1L Warmer)(12950.6053)

 <p>EASY POUR®,(BLK) 1/CS</p> <p>Product #:06100.0101</p>	 <p>EASY POUR®,(BLK) 2/CS</p> <p>Product #:06100.0102</p>	 <p>EASY POUR®,(BLK) 3/CS</p> <p>Product #:06100.0103</p>	 <p>EASY POUR®,(BLK) 6/CS</p> <p>Product #:06100.0106</p>	 <p>EASY POUR®,(BLK) 12/CS</p> <p>Product #:06100.0112</p>
 <p>EASY POUR®,(BLK) 24/CS</p> <p>Product #:06100.0124</p>	 <p>EASY POUR®,(BLK) 6-1/CS</p> <p>Product #:06100.0156</p>	 <p>EASY POUR®,(ORN) 1/CS</p> <p>Product #:06101.0101</p>	 <p>EASY POUR®,(ORN) 2/CS</p> <p>Product #:06101.0102</p>	 <p>EASY POUR®,(ORN) 3/CS</p> <p>Product #:06101.0103</p>
 <p>EASY POUR®,(ORN) 6/CS</p> <p>Product #:06101.0106</p>	 <p>EASY POUR®,(ORN) 12/CS</p> <p>Product #:06101.0112</p>	 <p>EASY POUR®,(ORN) 24/CS</p> <p>Product #:06101.0124</p>	 <p>DECANTER, GLASS-BLK 12C 24/CS</p> <p>Product #:42400.0024</p>	 <p>DECANTER, GLASS-BLK 12CUP 1PK</p> <p>Product #:42400.0101</p>
 <p>DECANTER, GLASS-BLK 12C 3/CS</p> <p>Product #:42400.0103</p>	 <p>DECANTER, GLASS-ORN 12C 24/CS</p> <p>Product #:42401.0024</p>	 <p>DECANTER, GLASS-ORN 12 CUP 1PK</p> <p>Product #:42401.0101</p>	 <p>DECANTER, GLASS-ORN 12C 3/CS</p> <p>Product #:42401.0103</p>	



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
04/29/2020